	Application No.	Applicant(s)
	10/764,672	KRAMER, CARL
Notice of Allowability	Examiner	Art Unit
	Stephen Gravini	3749
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>papers filed trhrough January 26, 2004</u> .		
2. The allowed claim(s) is/are <u>1-20</u> .		
3. The drawings filed on <u>January 26, 2004</u> are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c) None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the</li> </ul>		
attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATERIAL T FOR THE DEPOSIT OF BIOLOGIC	MUST DE SUDMITTED. NOTE THE AL MATERIAL.
<ul> <li>Attachment(s)</li> <li>1. ☑ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 20040126</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Summary Paper No./Mail Da 98), 7. ☐ Examiner's Amendi	te

Application/Control Number: 10/764,672

Art Unit: 3749

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

in claims 8 and 12 replace "in particular" with - - including - - .

This change is to overcome a possible rejection under 35 USC 112, second paragraph, wherein the broad recitation of liquid followed by water might be construed to be a narrower limitation, which is not permitted under current Office practice.

The following is an examiner's statement of reasons for allowance: the claimed invention with the features of a position of the web is controlled in the area of a trough of a concave curvature (as viewed in the longitudinal section) by at least one sensor which operates in a non-contact manner, a web tensed, due to the effect of gravity, in a treatment area localized by rollers, and nozzle fields for generating said impact jets exert a positionally stabilizing effect on the web by deploying a planar force onto the web which, similar to a spring, increases with decreasing distance between the web and the nozzle field, the magnitude of the stabilizing force depending on the dynamic pressure of the blowing fluid at the nozzle output of the impact jets is considered an non-obvious improvement over the closest prior art, Rogne et al. (US 6,049,995). Other prior art cited in this action contains some claimed elements and features, but it is

Application/Control Number: 10/764,672

Art Unit: 3749

considered that no motivation exists for combining those features with what is considered the closest prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen Gravini whose telephone number is 703 308 7570. The examiner can normally be reached on normal weekday business hours (east coast time).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ira S. Lazarus can be reached on 703 308 1935. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Steph M Sovin

smg

July 22, 2004